

NOAA NITROX II (36% O₂)

40 50 60 70 80 90 100 110								Depth (Feet)								Repetitive Group ↓				
12 15 18 21 24 27 30 33								Depth (Meters)												
310 200 100 60 60 50 40 30								No Decompression Limits (Minutes)												
BOTTOM TIMES	15	5							A										00:10 12:00	SURFACE INTERVALS
	30	15	10	10	10	5	5	5	B										00:10 02:10 02:11 12:00	
	45	25	15	15	15	10	10	10	C										00:10 01:39 01:40 02:50 12:00	
	60	30	25	20	20	15	15	12	D										00:10 01:09 01:10 02:39 05:49 12:00	
	75	40	30	25	25	20	20	15	E										00:10 00:54 01:57 01:58 03:22 06:32 12:00	
	95	50	40	30	30	30	25	20	F										00:10 00:45 01:29 01:30 02:28 03:57 07:05 12:00	
	120	70	50	40	40	35	30	25	G										00:10 00:40 01:15 01:16 01:59 02:58 04:25 07:35 12:00	
	145	80	60	50	50	40	35	30	H										00:10 00:36 01:06 01:07 01:41 02:23 03:20 04:49 07:59 12:00	
	170	100	70	55	55	45	40	I										00:10 00:33 00:59 01:29 02:02 02:44 03:43 05:12 08:21 12:00		
	205	110	80	60	60	50	J										00:10 00:31 00:54 01:19 01:47 02:20 03:04 04:02 05:40 08:40 12:00			
	250	130	90	K										00:10 00:28 00:49 01:11 01:35 02:03 02:38 03:21 04:19 05:48 08:58 12:00	00:29 00:50 01:12 01:36 02:04 02:39 03:22 04:20 05:49 08:59 12:00					
	310	150	100	L										00:10 00:26 00:45 01:04 01:25 01:49 02:19 02:53 03:36 04:35 06:02 09:12 12:00	00:27 00:45 01:04 01:25 01:49 02:19 02:53 03:36 04:35 06:02 09:12 12:00					
		170	M										00:10 00:25 00:42 00:59 01:18 01:39 02:05 02:34 03:08 03:52 04:49 06:18 09:28 12:00	00:26 00:42 00:59 01:18 01:39 02:05 02:34 03:08 03:52 04:49 06:18 09:28 12:00						
		200	N										00:10 00:24 00:39 00:54 01:11 01:30 01:53 02:18 02:47 03:22 04:04 05:03 06:32 09:43 12:00	00:25 00:40 00:55 01:12 01:31 01:53 02:19 02:48 03:23 04:05 05:04 06:33 09:44 12:00						
			O	00:10 00:23 00:36 00:51 01:07 01:24 01:43 02:04 02:29 02:59 03:33 04:17 05:16 06:44 09:54 12:00	00:24 00:37 00:52 01:08 01:25 01:44 02:05 02:30 03:00 03:34 04:18 05:17 06:45 09:55 12:00	00:37 00:51 01:07 01:24 01:43 02:04 02:29 02:59 03:33 04:17 05:16 06:44 09:54 12:00	00:52 01:08 01:25 01:44 02:05 02:30 03:00 03:34 04:18 05:17 06:45 09:55 12:00	01:08 01:25 01:44 02:05 02:30 03:00 03:34 04:18 05:17 06:45 09:55 12:00	01:25 01:44 02:05 02:30 03:00 03:34 04:18 05:17 06:45 09:55 12:00	01:44 02:05 02:30 03:00 03:34 04:18 05:17 06:45 09:55 12:00	02:05 02:30 03:00 03:34 04:18 05:17 06:45 09:55 12:00	02:30 03:00 03:34 04:18 05:17 06:45 09:55 12:00	03:00 03:34 04:18 05:17 06:45 09:55 12:00	03:34 04:18 05:17 06:45 09:55 12:00	04:18 05:17 06:45 09:55 12:00	05:17 06:45 09:55 12:00	06:45 09:55 12:00	09:55 12:00		
		Z	00:10 00:22 00:34 00:48 01:02 01:18 01:36 01:55 02:17 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	00:23 00:34 00:48 01:02 01:18 01:36 01:55 02:17 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	00:35 00:48 01:02 01:18 01:36 01:55 02:17 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	00:49 01:02 01:18 01:36 01:55 02:17 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	01:03 01:18 01:36 01:55 02:17 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	01:19 01:36 01:55 02:17 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	01:37 01:56 02:18 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	01:56 02:18 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	02:18 02:42 03:10 03:45 04:29 05:27 06:56 10:05 12:00	02:43 03:11 03:46 04:29 05:27 06:56 10:05 12:00	03:11 03:46 04:30 05:28 06:57 10:06 12:00	03:46 04:30 05:28 06:57 10:06 12:00	04:30 05:28 06:57 10:06 12:00	05:28 06:57 10:06 12:00	06:57 10:06 12:00	10:06 12:00		
ENDING RG ▶ Z O N M L K J I H G F E D C B A																		DEPTH (M) (F)		
REPETITIVE DIVE TABLES	257	241	213	187	161	138	116	101	87	73	61	49	37	25	17	7	RNT	15	50	
	169	160	142	124	111	99	87	76	66	56	47	38	29	21	13	6	RNT	18	60	
	122	117	107	97	88	79	70	61	52	44	36	30	24	17	11	5	RNT	21	70	
	122	117	107	97	88	79	70	61	52	44	36	30	24	17	11	5	RNT	24	80	
	100	96	87	80	72	64	57	50	43	37	31	26	20	15	9	4	RNT	27	90	
	84	80	73	68	61	54	48	43	38	32	28	23	18	13	8	4	RNT	30	100	
	73	70	64	58	53	47	43	38	33	29	24	20	16	11	7	3	RNT	33	110	
RESIDUAL NITROGEN TIME (RNT) IN MINUTES																				